

**Table 5.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE**  
(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission)	Total	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
1	All nonbattle causes--total.....	324.71	414.27	307.70
2	All disease.....	275.58	351.19	258.03
3	All nonbattle injury.....	49.13	63.08	49.67
<b>Class I</b>				
4	<b>Infective and parasitic diseases (except certain acute respiratory infections and rheumatic fever).</b>	23.03	33.37	23.09
5	Tuberculosis.....	1.08	0.69	0.91
6	Tuberculosis, pulmonary.....	0.77	0.38	0.63
7	Tuberculosis, pleural.....	0.14	0.17	0.15
8	Tuberculous meningitis.....	0.01	-	0.01
9	Tuberculosis, all other.....	0.16	0.14	0.12
10	Venereal disease.....	2.02	2.30	2.15
11	Syphilis, early.....	0.20	0.21	0.22
12	Syphilis, other and sequelae.....	0.29	0.17	0.20
13	Gonorrhoea, acute or unspecified.....	0.70	0.82	0.82
14	Gonococcal infection, other.....	0.10	0.10	0.08
15	Chancroid.....	0.50	0.69	0.55
16	Venereal disease, other.....	0.23	0.31	0.28
17	Infections commonly arising in the digestive tract.	1.16	1.06	1.17
18	Dysentery, bacillary.....	0.16	-	0.20
19	Amebiasis.....	0.29	0.07	0.25
20	Food infection or poisoning (except salmonella).	0.47	0.54	0.47
21	Other infections commonly arising in the digestive tract.	0.24	0.45	0.25
22	Other bacterial diseases.....	3.00	5.14	3.07
23	Streptococcal infections.....	2.80	4.80	2.89
24	Meningitis, meningococcal.....	0.10	0.24	0.11
25	Other bacterial diseases.....	0.10	0.10	0.07
26	Spirochetal diseases (except syphilis).....	0.30	0.41	0.35
27	Vincent's infection.....	0.30	0.41	0.35
28	Other spirochetal diseases (except syphilis).	-	-	-
29	Diseases attributable to viruses.....	10.57	18.46	10.61
30	Polioomyelitis, acute.....	0.13	0.14	0.13
31	Encephalitis, infectious, acute.....	0.05	0.10	0.05
32	Smallpox.....	-	-	-
33	Measles.....	0.40	0.58	0.48
34	Rubella (German measles).....	3.02	10.14	2.89
35	Chickenpox.....	0.72	0.99	0.66
36	Herpes zoster.....	0.18	0.34	0.14
37	Mumps.....	1.96	2.09	1.71
38	Infectious hepatitis.....	2.21	1.85	2.33
39	Infectious mononucleosis.....	1.45	1.68	1.83
40	Other viral diseases.....	0.45	0.55	0.39

**INJURY DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954**  
 per 1,000 average strength per year)

Age at admission--Continued						Line no.
25-29	30-34	35-39	40-44	45-49	50 and over	
(5)	(6)	(7)	(8)	(9)	(10)	
336.80	308.49	303.61	335.95	360.89	444.23	1
287.70	268.70	266.82	300.59	328.55	413.57	2
49.10	39.79	36.79	35.36	32.34	30.66	3
22.95	17.95	15.19	13.64	14.09	8.48	4
1.54	1.56	1.35	2.09	2.24	0.65	5
1.10	1.28	1.14	1.53	1.60	0.65	6
0.11	-	0.14	0.14	0.32	-	7
0.03	-	-	-	-	-	8
0.30	0.28	0.07	0.42	0.32	-	9
2.14	1.45	1.28	0.70	0.96	1.30	10
0.22	0.17	-	0.28	-	-	11
0.46	0.62	0.71	0.14	0.96	0.65	12
0.57	0.22	0.36	0.14	-	-	13
0.11	0.11	0.14	0.14	-	0.65	14
0.62	0.22	0.07	-	-	-	15
0.16	0.11	-	-	-	-	16
1.25	1.34	0.78	0.84	1.28	1.30	17
0.16	0.17	0.07	0.28	-	-	18
0.38	0.72	0.35	0.28	0.96	-	19
0.52	0.39	0.29	-	0.32	-	20
0.19	0.06	0.07	0.28	-	1.30	21
2.52	1.95	1.85	0.97	1.92	0.65	22
2.38	1.89	1.56	0.55	1.92	0.65	23
0.03	0.06	-	-	-	-	24
0.11	-	0.29	0.42	-	-	25
0.22	0.06	0.07	-	0.32	-	26
0.22	0.06	0.07	-	0.32	-	27
-	-	-	-	-	-	28
9.37	6.97	6.43	5.14	3.53	1.97	29
0.19	0.11	0.14	-	0.32	-	30
0.03	0.11	-	-	-	-	31
-	-	-	-	-	-	32
0.22	0.11	0.29	-	-	-	33
1.22	0.28	0.36	-	-	-	34
0.95	0.95	0.36	0.42	-	-	35
0.19	0.28	0.07	0.14	0.96	-	36
2.59	2.52	2.86	1.66	1.29	-	37
2.62	1.50	1.71	2.08	0.64	0.66	38
0.87	0.50	0.07	0.28	-	-	39
0.49	0.61	0.57	0.56	0.32	1.31	40

Table 5.—ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE INJURY  
(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission)	Total	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
<b>Class I--Continued</b>				
1	Rickettsial diseases.....	0.01	-	-
2	Malaria, all types.....	0.75	0.34	0.82
3	Other infective and parasitic diseases.....	4.14	4.97	4.01
4	Protozoal diseases, n. e. c.....	0.03	0.03	0.02
5	Ankylostomiasis (hookworm).....	0.42	0.72	0.38
6	Ascariasis.....	0.11	0.17	0.07
7	Other worm infestation.....	0.37	0.38	0.30
8	Dermatophytosis.....	2.40	2.99	2.37
9	Other fungus infections.....	0.11	0.10	0.08
10	Scabies.....	0.25	0.17	0.28
11	Pediculosis.....	0.06	0.14	0.05
12	Other infective and parasitic diseases.....	0.39	0.27	0.46
<b>Class II</b>				
13	Neoplastic diseases.....	5.64	4.28	5.90
14	Malignant neoplasms.....	0.32	0.10	0.17
15	Neoplastic conditions of lymphatic and hematopoietic tissues.	0.06	0.07	0.05
16	Benign neoplasm, except pilonidal cyst.....	1.83	1.47	1.56
17	Pilonidal cyst or sinus.....	3.38	2.64	4.06
18	Neoplasm of unspecified nature.....	0.05	-	0.06
<b>Class III</b>				
19	Allergic, endocrine system, metabolic and nutritional diseases.	4.68	4.45	3.61
20	Allergic disorders.....	3.68	4.07	3.15
21	Hay fever.....	0.16	0.10	0.16
22	Asthma.....	1.72	1.88	1.34
23	Urticaria.....	1.09	1.20	1.05
24	Other allergic disorders.....	0.71	0.89	0.60
25	Diseases of endocrine glands.....	0.61	0.24	0.29
26	Diseases of thyroid gland.....	0.19	0.03	0.07
27	Diabetes mellitus.....	0.37	0.11	0.17
28	Other diseases of endocrine glands.....	0.05	0.10	0.05
29	Metabolic disorders (including avitaminosis)..	0.39	0.14	0.17
<b>Class IV</b>				
30	Diseases of the blood and blood-forming organs.....	0.21	0.31	0.16
<b>Class V</b>				
31	Mental, psychoneurotic, and personality disorders.....	10.58	13.91	8.56

DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954--Continued  
per 1,000 average strength per year)

Age at admission--Continued						Line no.
25-29 (5)	30-34 (6)	35-39 (7)	40-44 (8)	45-49 (9)	50 and over (10)	
0.03	-	0.07	-	-	-	1
0.92	0.61	0.57	0.56	0.64	0.65	2
4.96	4.01	2.79	3.34	3.20	1.96	3
-	0.11	0.07	-	-	-	4
0.62	0.28	0.22	-	0.32	-	5
0.16	0.28	0.14	-	0.32	-	6
0.65	0.56	0.22	0.28	0.32	0.65	7
2.61	2.22	1.79	2.22	1.28	1.31	8
0.11	0.11	0.07	0.56	0.96	-	9
0.30	0.28	-	0.14	-	-	10
0.05	-	0.07	-	-	-	11
0.46	0.17	0.21	0.14	-	-	12
5.88	4.79	4.71	5.85	6.72	10.44	13
0.33	0.45	1.21	1.39	1.92	2.61	14
-	0.33	-	0.14	-	-	15
2.11	2.22	2.43	3.90	4.48	7.18	16
3.41	1.73	1.00	0.42	0.32	0.65	17
0.03	0.06	0.07	-	-	-	18
5.80	6.91	6.70	9.05	12.49	20.87	19
4.69	4.46	4.42	4.31	5.13	8.47	20
0.22	-	0.36	-	-	0.65	21
2.49	2.12	2.21	2.50	3.53	5.87	22
1.11	1.17	1.35	0.84	0.64	1.30	23
0.87	1.17	0.50	0.97	0.96	0.65	24
0.60	1.45	1.64	2.65	4.48	7.83	25
0.27	0.39	0.79	0.84	0.96	1.96	26
0.33	0.95	0.78	1.81	3.52	5.87	27
-	0.11	0.07	-	-	-	28
0.51	1.00	0.64	2.09	2.88	4.57	29
0.41	0.11	0.07	0.70	-	-	30
12.71	13.66	13.62	16.99	16.01	15.66	31

**Table 5. --ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE INJURY**  
(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission)	Total	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
<b>Class V -- Continued</b>				
1	Psychotic disorders.....	1.62	1.88	1.43
2	Schizophrenic reactions.....	1.41	1.88	1.35
3	Other psychotic disorders.....	0.21	-	0.08
4	Psychoneurotic disorders.....	3.99	4.52	3.09
5	Anxiety reaction without mention of somatic symptoms.	1.60	1.75	1.18
6	Hysterical reaction without mention of anxiety reaction.	0.61	0.96	0.54
7	Neurotic-depressive reaction.....	0.43	0.34	0.25
8	Psychoneurosis with somatic symptoms (somatization reaction).	1.23	1.40	1.01
9	Other psychoneurotic disorders.....	0.12	0.07	0.11
10	Character and behavior disorders.....	4.53	7.27	3.75
11	Pathological personality.....	1.26	2.33	1.17
12	Immature personality.....	2.64	4.77	2.43
13	Alcoholism.....	0.55	0.07	0.07
14	Other drug addiction.....	0.07	0.07	0.07
15	Primary childhood behavior disorders.....	0.01	0.03	0.01
16	Disorders of intelligence.....	0.10	0.14	0.08
17	Transient personality disorders.....	0.34	0.10	0.21
<b>Class VI</b>				
18	Diseases of the nervous system.....	2.56	3.15	2.05
19	Vascular lesions affecting central nervous system.	0.08	0.03	0.03
20	Meningitis, acute (excluding meningococcal meningitis).	0.07	0.07	0.09
21	Encephalitis, myelitis, and encephalomyelitis (except acute infectious).	0.11	0.21	0.07
22	Epilepsy.....	0.75	1.81	0.57
23	Migraine.....	0.46	0.41	0.40
24	Other diseases of central nervous system.....	0.15	-	0.11
25	Diseases of nerves and peripheral ganglia.....	0.94	0.62	0.78
<b>Class VII</b>				
26	Diseases of the eye and adnexa.....	3.88	3.92	3.43
27	Conjunctivitis and ophthalmia.....	1.33	1.37	1.25
28	Other inflammatory diseases of eye.....	1.05	0.93	0.98
29	Refractive errors.....	0.09	0.07	0.07
30	Other diseases of eye.....	1.39	1.47	1.11
31	Blindness.....	0.02	0.07	0.02
<b>Class VIII</b>				
32	Diseases of the ear, nose, and throat.....	9.00	8.50	9.33

DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954--Continued  
 per 1,000 average strength per year)

Age at admission--Continued						Line n
25-29 (5)	30-34 (6)	35-39 (7)	40-44 (8)	45-49 (9)	50 and over (10)	
1.95	1.95	1.85	1.95	1.60	2.61	1
1.65	1.28	1.14	0.70	0.96	0.65	2
0.30	0.67	0.71	1.25	0.64	1.96	3
5.47	5.57	5.78	6.40	7.05	6.53	4
2.06	2.72	2.78	2.50	3.21	3.27	5
0.81	0.45	0.36	0.28	-	1.96	6
0.54	0.78	1.00	1.81	2.24	0.65	7
1.84	1.56	1.43	1.67	1.60	0.65	8
0.22	0.06	0.21	0.14	-	-	9
4.58	5.41	5.13	7.11	6.72	5.87	10
1.33	1.17	0.36	1.11	0.96	0.65	11
2.85	2.29	1.78	1.53	0.96	2.61	12
0.35	1.95	2.92	4.47	4.80	2.61	13
0.05	-	0.07	-	-	-	14
-	-	-	-	-	-	15
0.14	0.17	-	-	-	-	16
0.57	0.56	0.86	1.53	0.64	0.65	17
2.82	2.95	4.21	4.73	6.08	5.87	18
0.05	0.11	0.07	0.28	1.28	3.26	19
0.03	0.11	-	-	-	-	20
0.19	0.17	-	0.28	-	-	21
0.79	0.67	0.78	1.11	0.32	-	22
0.35	0.50	1.21	0.70	1.92	-	23
0.27	0.33	0.21	0.42	-	1.96	24
1.14	1.06	1.94	1.94	2.56	0.65	25
4.47	5.46	4.92	4.32	5.12	7.18	26
1.27	1.84	1.57	1.53	0.96	1.96	27
1.25	1.23	1.43	1.11	0.96	1.96	28
0.16	0.11	0.14	-	0.64	-	29
1.79	2.28	1.78	1.68	2.56	2.61	30
-	-	-	-	-	0.65	31
9.40	7.52	7.34	7.38	7.69	13.05	32

Table 5.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE INJURY

(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission)	Total	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
<b>Class VIII--Continued</b>				
1	Diseases of ear and mastoid process.....	3.00	3.02	2.78
2	Otitis externa.....	0.54	0.51	0.52
3	Otitis media.....	1.88	2.20	1.85
4	Deafness and impaired hearing.....	0.31	0.10	0.20
5	Other diseases of ear and mastoid.....	0.27	0.21	0.21
6	Diseases of the nose and throat.....	6.00	5.48	6.55
7	Hypertrophy of tonsils and adenoids.....	3.24	2.87	3.84
8	Peritonsillar abscess (quinsy).....	0.51	0.86	0.54
9	Chronic sinusitis.....	0.38	0.48	0.29
10	Deflected nasal septum.....	1.21	0.65	1.31
11	Other diseases of the nose and throat.....	0.66	0.62	0.57
<b>Class IX</b>				
12	Acute respiratory infections.....	90.23	149.61	85.72
13	Acute upper respiratory infection.....	69.54	104.18	67.91
14	Acute bronchitis.....	9.05	18.43	7.62
15	Influenza.....	2.18	2.64	1.87
16	Pneumonia.....	9.46	24.36	8.32
<b>Class X</b>				
17	Other diseases of the respiratory system.....	2.03	2.09	1.59
18	Bronchitis, chronic and unqualified.....	0.64	0.69	0.41
19	Pleurisy.....	0.59	0.78	0.48
20	Spontaneous pneumothorax.....	0.37	0.38	0.36
21	Chronic interstitial pneumonia, n. e. c.....	0.12	0.07	0.07
22	Bronchiectasis.....	0.20	0.17	0.21
23	Other diseases of the respiratory system.....	0.11	-	0.06
<b>Class XI</b>				
24	Diseases of the circulatory system.....	9.25	6.06	7.05
25	Rheumatic fever.....	0.33	0.93	0.31
26	Chronic rheumatic heart disease.....	0.21	0.48	0.17
27	Other heart disease.....	0.80	0.27	0.24
28	Arteriosclerotic heart disease, including coronary disease.	0.39	0.03	0.01
29	Other chronic and degenerative heart disease	0.03	-	0.02
30	Acute carditis.....	0.07	0.07	0.03
31	Other and unspecified diseases of heart....	0.31	0.17	0.18
32	Other diseases of the circulatory system.....	7.91	4.38	6.33
33	Hypertensive disease.....	0.66	0.17	0.20
34	Varicose veins of leg or unspecified site...	1.08	0.41	0.84
35	Hemorrhoids.....	4.54	2.25	3.81
36	Varicocele.....	0.31	0.31	0.40
37	Phlebitis and thrombophlebitis.....	0.49	0.31	0.33
38	Other diseases of the circulatory system....	0.83	0.93	0.75

**DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954--Continued**  
 per 1,000 average strength per year)

Age at admission--Continued						line no.
25-29 (5)	30-34 (6)	35-39 (7)	40-44 (8)	45-49 (9)	50 and over (10)	
3.12	3.23	3.49	4.18	4.81	9.14	1
0.65	0.56	0.64	0.42	-	0.65	2
1.96	1.50	2.13	1.95	1.28	1.31	3
0.27	0.50	0.36	0.84	2.89	6.53	4
0.24	0.67	0.36	0.97	0.64	0.65	5
6.28	4.29	3.85	3.20	2.88	3.91	6
3.33	1.62	0.93	0.28	0.64	-	7
0.46	0.33	0.21	-	-	-	8
0.46	0.28	0.86	0.56	0.32	1.31	9
1.46	0.89	0.64	1.39	1.28	1.30	10
0.57	1.17	1.21	0.97	0.64	1.30	11
84.40	75.20	68.80	73.50	73.02	69.80	12
66.25	59.48	52.68	50.25	54.45	48.93	13
8.70	7.19	7.49	13.78	8.33	14.35	14
2.41	3.40	2.71	1.95	3.20	1.30	15
7.04	5.13	5.92	7.52	7.04	5.22	16
2.28	2.62	3.28	3.90	6.08	9.78	17
0.63	0.89	1.65	1.53	2.88	4.57	18
0.66	0.78	0.78	1.67	-	1.30	19
0.51	0.28	0.21	-	0.96	-	20
0.16	0.33	0.14	0.14	0.32	1.30	21
0.16	0.17	0.21	0.28	0.96	-	22
0.16	0.17	0.29	0.28	0.96	2.61	23
11.57	11.98	16.83	21.30	33.31	56.75	24
0.27	-	0.21	-	-	-	25
0.30	0.11	0.21	-	-	0.65	26
0.60	1.67	1.93	5.15	10.57	17.61	27
0.03	0.73	1.29	3.06	8.97	14.35	28
0.05	0.11	0.07	0.14	-	-	29
0.14	0.11	0.07	0.42	0.64	-	30
0.38	0.72	0.50	1.53	0.96	3.26	31
10.40	10.20	14.48	16.15	22.74	38.49	32
0.35	0.84	2.64	4.04	8.97	16.32	33
1.57	1.62	1.93	2.37	3.52	3.91	34
6.66	6.63	7.56	7.52	7.37	9.13	35
0.22	-	0.07	-	-	-	36
0.68	0.61	1.57	0.97	0.96	2.61	37
0.02	0.50	0.22	0.22	0.22	0.22	38

**Table 5.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE INJURY**  
(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission)	Total	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
<b>Class XII</b>				
1	Dental diseases and conditions . . . . .	5.44	12.34	5.23
<b>Class XIII</b>				
2	Diseases of the digestive system and hernia . . . . .	31.81	28.65	28.71
3	Diseases of buccal cavity . . . . .	0.70	0.86	0.68
4	Diseases of esophagus . . . . .	0.06	-	0.04
5	Ulcer of stomach and duodenum . . . . .	2.85	1.03	1.90
6	Gastritis and duodenitis . . . . .	3.19	2.57	2.75
7	Other diseases of stomach and duodenum . . . . .	0.19	0.07	0.13
8	Appendicitis, acute and unqualified . . . . .	3.69	5.07	3.97
9	Inguinal hernia . . . . .	4.64	5.96	4.71
10	All other hernia . . . . .	0.50	0.21	0.44
11	Gastroenteritis, acute . . . . .	11.56	10.50	11.04
12	Enteritis and colitis, acute . . . . .	0.82	0.79	0.75
13	Anal fissure and fistula . . . . .	0.75	0.03	0.46
14	Abscess of anal and rectal regions . . . . .	0.88	0.48	0.64
15	Other diseases of intestine and peritoneum . . . . .	1.40	0.99	0.99
16	Diseases of liver . . . . .	0.20	0.03	0.07
17	Diseases of gallbladder and biliary tract . . . . .	0.30	0.03	0.12
18	Diseases of pancreas . . . . .	0.08	0.03	0.02
<b>Class XIV</b>				
19	Diseases of the urinary system and male genital system . . . . .	12.99	10.79	13.86
20	Nephritis and nephrosis . . . . .	0.23	0.21	0.18
21	Infections of kidney . . . . .	0.80	0.69	0.75
22	Calculi of kidney and ureter . . . . .	0.76	0.21	0.55
23	Cystitis . . . . .	0.64	0.48	0.60
24	Urethritis, nonvenereal or nongonococcal . . . . .	0.41	0.45	0.44
25	Other diseases of urinary system . . . . .	0.35	0.24	0.28
26	Prostatitis . . . . .	0.96	0.51	0.87
27	Orchitis and epididymitis . . . . .	2.86	2.42	3.06
28	Redundant prepuce and phimosis . . . . .	4.30	3.59	5.39
29	Other diseases of male genital system . . . . .	1.68	1.99	1.74
<b>Class XV</b>				
30	Diseases of the breast and female genital organs . . . . .	0.99	1.34	0.78
31	Gynecomastia and mastitis, male . . . . .	0.32	0.34	0.39
32	Diseases of breast, ovary, fallopian tube, and parametrium, n. e. c. . . . .	0.22	0.34	0.17
33	Disorders of menstruation . . . . .	0.34	0.59	0.19
34	Other diseases of female genital organs . . . . .	0.11	0.07	0.03
<b>Class XVI</b>				
35	Deliveries and complications of pregnancy, childbirth, and puerperium . . . . .	0.10	0.31	0.06

DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954--Continued  
per 1,000 average strength per year)

Age at admission--Continued						Line no
25-29	30-34	35-39	40-44	45-49	50 and over	
(5)	(6)	(7)	(8)	(9)	(10)	
4.69	2.62	1.71	2.37	3.20	1.96	1
35.98	37.90	40.42	50.54	50.93	60.66	2
0.84	0.22	0.86	0.70	0.32	1.96	3
0.14	0.06	0.21	0.14	0.32	-	4
4.09	6.24	5.70	8.49	9.30	10.44	5
4.06	4.79	4.85	5.01	2.24	3.26	6
0.30	-	0.36	0.84	1.60	1.30	7
3.22	1.67	2.35	2.51	1.92	0.65	8
3.98	2.45	3.42	6.27	7.37	7.83	9
0.49	0.61	0.78	1.67	1.28	1.96	10
12.46	13.99	12.84	13.36	14.42	12.39	11
0.95	1.23	0.64	0.28	1.92	3.26	12
1.44	1.45	1.85	3.20	0.64	1.30	13
1.60	1.28	1.71	2.23	0.96	-	14
1.98	2.40	2.21	2.78	4.16	10.44	15
0.11	0.45	1.14	1.11	1.92	-	16
0.24	0.84	1.14	1.53	1.28	5.22	17
0.08	0.22	0.36	0.42	1.28	0.65	18
13.79	9.75	9.77	10.30	10.25	21.53	19
0.41	0.28	0.36	0.28	0.32	-	20
0.62	1.23	1.28	1.25	0.96	1.30	21
1.06	1.28	1.71	2.36	2.57	3.27	22
0.76	0.67	0.78	0.70	1.28	2.61	23
0.41	0.28	0.07	0.28	0.96	0.65	24
0.49	0.39	0.64	0.70	0.32	1.30	25
1.49	1.34	1.07	0.84	1.28	1.96	26
3.03	2.33	1.79	2.50	1.60	3.27	27
3.92	0.72	1.14	0.28	-	0.65	28
1.60	1.23	0.93	1.11	0.96	6.52	29
1.00	1.11	0.93	2.09	6.08	2.61	30
0.33	-	0.07	-	-	0.65	31
0.22	0.33	0.14	0.42	0.96	0.65	32
0.37	0.45	0.29	1.11	3.52	1.31	33
0.08	0.33	0.43	0.56	1.60	-	34
0.11	0.06	0.21	-	-	-	35

**Table 5. --ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE INJURY**  
(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission) (1)	Total (2)	Age at admission	
			Under 20 (3)	20-24 (4)
<b>Class XVII</b>				
1	<b>Diseases of skin and cellular tissue . . . . .</b>	22.35	28.17	22.93
2	Boil and carbuncle . . . . .	3.01	2.88	3.24
3	Cellulitis and abscess . . . . .	8.96	12.47	8.96
4	Other infections of skin and subcutaneous tissue.	1.99	1.99	2.10
5	Dermatitis, seborrheic . . . . .	0.15	0.03	0.19
6	Eczema . . . . .	0.19	0.21	0.23
7	Dermatitis (includes occupational and other).	2.84	4.63	2.80
8	Erythematous conditions . . . . .	0.31	0.41	0.31
9	Psoriasis and similar disorders . . . . .	0.31	0.17	0.32
10	Pruritus and related conditions . . . . .	0.45	0.79	0.32
11	Other hypertrophic and atrophic conditions of skin.	0.36	0.41	0.32
12	Diseases of nail . . . . .	1.52	1.78	1.74
13	Diseases of sweat and sebaceous glands . . . . .	1.21	1.51	1.33
14	Other diseases of skin . . . . .	1.05	0.89	1.07
<b>Class XVIII</b>				
15	<b>Diseases of the bones and organs of movement . . . . .</b>	11.59	8.67	9.79
16	Arthritis and rheumatism, except rheumatic fever.	2.19	1.44	1.40
17	Rheumatoid arthritis and allied conditions.	0.60	0.31	0.40
18	Other arthritis . . . . .	1.19	0.75	0.69
19	Rheumatism, muscular or unspecified . . . . .	0.40	0.38	0.31
20	Osteomyelitis and other diseases of bone and joint.	4.83	4.21	4.49
21	Malunion and nonunion of fracture . . . . .	0.39	0.27	0.40
22	Osteomyelitis and other diseases of bone . . . . .	0.68	0.79	0.68
23	Derangement, internal, of knee . . . . .	1.25	1.33	1.35
24	Herniation of nucleus pulposus . . . . .	0.70	0.24	0.35
25	Affection of sacroiliac joint, n. e. c. . . . .	0.65	0.45	0.50
26	Other diseases of joint . . . . .	1.16	1.13	1.21
27	Other diseases of musculoskeletal system . . . . .	4.57	3.02	3.90
28	Synovitis, bursitis, and tenosynovitis . . . . .	2.19	1.47	1.96
29	Other diseases of muscle, tendon, and fascia.	1.80	1.10	1.39
30	Deformities . . . . .	0.58	0.45	0.55
<b>Class XIX</b>				
31	<b>Congenital malformations . . . . .</b>	1.21	1.82	1.18
<b>Class XXI</b>				
32	<b>Symptoms and ill-defined conditions . . . . .</b>	11.15	12.30	10.43
33	Diarrhea, cause undetermined . . . . .	3.02	3.67	2.89
34	Fever of unknown origin . . . . .	2.09	1.82	2.29
35	Other symptoms and ill-defined conditions . . . . .	6.04	6.81	5.25

DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954--Continued  
per 1,000 average strength per year)

Age at admission--Continued						Line no.
25-29 (5)	30-34 (6)	35-39 (7)	40-44 (8)	45-49 (9)	50 and over (10)	
22.27	19.06	15.54	13.92	9.93	11.09	1
3.06	2.62	2.14	1.67	1.28	0.65	2
9.07	7.20	5.91	7.37	3.85	7.84	3
1.92	2.01	1.43	1.39	0.96	-	4
0.08	0.22	0.21	-	-	-	5
0.03	0.33	0.14	-	-	-	6
2.71	1.89	2.21	1.11	1.92	1.30	7
0.35	0.28	0.29	-	-	-	8
0.33	0.56	0.29	0.28	-	-	9
0.79	0.50	0.50	0.28	0.64	-	10
0.51	0.22	0.50	-	0.32	1.30	11
1.25	1.00	0.57	0.28	0.32	-	12
0.92	0.95	0.64	0.84	0.32	-	13
1.25	1.28	0.71	0.70	0.32	-	14
13.44	14.71	17.26	25.76	21.13	51.53	15
2.52	2.84	4.14	7.66	8.65	34.57	16
0.81	0.84	1.35	2.37	0.32	5.22	17
1.22	1.28	2.08	4.45	7.69	29.35	18
0.49	0.72	0.71	0.84	0.64	-	19
5.72	5.35	5.21	7.80	6.72	6.52	20
0.43	0.61	0.21	0.28	0.32	0.65	21
0.84	0.56	0.29	0.56	0.64	-	22
1.42	0.56	0.64	0.84	0.32	1.30	23
0.89	1.39	2.22	4.45	2.24	1.97	24
0.81	1.17	1.14	1.25	2.24	1.30	25
1.33	1.06	0.71	0.42	0.96	1.30	26
5.20	6.52	7.91	10.30	5.76	10.44	27
2.41	2.73	3.42	5.14	2.24	2.61	28
2.11	2.90	3.99	4.46	3.52	5.87	29
0.68	0.89	0.50	0.70	-	1.96	30
1.08	0.56	1.43	1.11	2.24	-	31
13.03	11.15	10.70	11.28	17.29	13.70	32
3.09	3.29	3.14	1.81	4.16	1.30	33
2.19	1.39	1.21	1.95	0.64	1.96	34
7.75	6.47	6.35	7.52	12.49	10.44	35

**Table 5.--ADMISSION RATES FOR SELECTED DISEASE AND NONBATTLE INJURY**  
(Rates expressed as number of admissions)

Line no.	Diagnosis (Cause of admission)	Total	Age at admission	
			Under 20	20-24
	(1)	(2)	(3)	(4)
<b>Class XXII</b>				
1	Special admissions .....	13.66	15.86	11.91
2	Observation for disease.....	12.26	14.56	10.89
3	Simple drunkenness.....	0.98	1.03	0.66
4	Other ill-defined and unknown conditions.....	0.42	0.27	0.36
<b>Class XXIII</b>				
5	Accidents, violence, and poisonings .....	49.13	63.08	49.67
6	Fracture, compound, comminuted.....	0.69	0.93	0.68
7	Fracture, compound, other.....	0.74	1.06	0.78
8	Fracture, simple.....	8.44	10.41	8.34
9	Fracture, unqualified.....	0.16	0.14	0.18
10	Wound, lacerated.....	5.13	6.24	5.29
11	Wound, incised.....	0.24	0.17	0.28
12	Wound, punctured.....	0.32	0.48	0.29
13	Wound, penetrating.....	0.37	0.45	0.40
14	Wound, perforating.....	0.28	0.45	0.29
15	Wound, n. e. c.....	0.23	0.48	0.21
16	Abrasion and blister.....	1.44	1.82	1.54
17	Contusion.....	4.99	6.43	5.07
18	Traumatic amputation.....	0.33	0.45	0.34
19	Sprains, strains, dislocations.....	13.01	13.76	13.44
20	Burns.....	2.35	3.12	2.53
21	Effects of heat, n. e. c.....	1.01	2.88	0.83
22	Effects of cold.....	0.89	1.51	1.01
23	Concussion.....	1.46	2.47	1.37
24	Crushing.....	0.07	0.10	0.07
25	Hemothorax, traumatic.....	0.07	0.07	0.08
26	Pneumothorax, traumatic.....	0.05	0.10	0.03
27	Poisoning.....	0.52	0.62	0.48
28	Prophylactic reactions and therapeutic misadventures.	3.19	5.89	2.87
29	All other specified traumatisms.....	2.64	2.60	2.71
30	Unknown or unspecified.....	0.51	0.45	0.56
<b>Class XXIV</b>				
31	Other admissions without disease .....	3.20	1.30	2.66
32	Medical or special examination; follow-up examination; medical and surgical after care.	2.83	0.92	2.35
33	Pregnancy, uterine, not delivered.....	0.06	0.07	0.06
34	Fitting of prostheses.....	0.05	-	0.03
35	Other admissions without disease.....	0.26	0.31	0.22

DIAGNOSES, BY AGE AT ADMISSION, U. S. ARMY, 1954--Continued  
per 1,000 average strength per year)

Age at admission--Continued						Line no
25-29 (5)	30-34 (6)	35-39 (7)	40-44 (8)	45-49 (9)	50 and over (10)	
15.80	16.33	16.69	17.68	20.81	23.48	1
13.74	14.55	14.13	14.61	17.93	20.87	2
1.38	1.50	1.78	2.37	2.24	2.61	3
0.68	0.28	0.78	0.70	0.64	-	4
49.10	39.79	36.79	35.36	32.34	30.66	5
0.79	0.61	0.29	0.42	0.64	-	6
0.68	0.45	0.36	0.56	0.32	-	7
8.94	7.69	7.48	6.53	4.48	7.18	8
0.11	0.11	0.21	-	-	-	9
4.85	4.40	4.21	3.20	2.56	1.30	10
0.19	0.11	0.14	0.14	0.32	-	11
0.30	0.39	0.14	0.42	0.64	-	12
0.41	0.33	0.14	0.14	-	-	13
0.30	-	0.07	0.28	-	-	14
0.27	0.06	0.07	-	-	-	15
1.41	0.89	1.07	0.56	0.64	-	16
4.74	4.90	3.64	2.78	2.24	1.96	17
0.35	0.17	0.29	0.14	-	-	18
13.04	11.94	9.69	10.99	9.30	8.49	19
2.19	1.28	1.14	1.39	0.32	1.30	20
0.95	0.33	0.29	0.97	1.60	0.65	21
0.62	0.11	0.29	0.70	-	-	22
1.84	0.78	0.93	0.84	0.96	-	23
0.05	-	-	0.14	-	-	24
-	0.17	0.14	-	-	-	25
0.08	0.11	-	-	-	-	26
0.46	0.56	0.71	0.42	1.60	0.65	27
3.39	2.40	2.28	2.23	3.20	5.22	28
2.71	1.78	2.64	2.09	3.20	3.26	29
0.43	0.22	0.57	0.42	0.32	0.65	30
3.82	6.30	6.49	4.18	6.08	9.13	31
3.42	5.57	5.85	3.76	6.08	8.48	32
0.08	0.11	0.07	-	-	-	33
0.08	0.06	0.14	0.28	-	-	34
0.24	0.56	0.43	0.14	-	0.65	35